Notice of Allowability	Application No.	Applicant(s)	
	09/747,817	LUMAUIG, ROMMEL	C.
	Examiner	Art Unit	
	Brian E Pellegrino	3738	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>interview summary of 1/4/05</u> .			
2. The allowed claim(s) is/are <u>1,3-8,10-16 and 23-27</u> .			
3. The drawings filed on 22 December 2000 are accepted by the Examiner.			
4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE"	been received. been received in Application No cuments have been received in this of this communication to file a reply	national stage application	
noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm	.,	'S AMENDMENT or NOT	ICE OF
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	on's Patent Drawing Review (PTO- s Amendment / Comment or in the C	Office action of ngs in the front (not the ba	ack) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal F 6. ☑ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te <u>1/4/05</u> . ment/Comment	·
		BP	

Application/Control Number: 09/747,817

Art Unit: 3738

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Priscilla Morrison on 1/4/05.

The application has been amended as follows:

In <u>claim 1</u>, line 4, after "member" the phrase –formed of a polymeric material—was added. In line 6, after "member" the phrase –formed of a polymeric material—was added. In line 9, "bonded to the outer surface of the inner tubular member" was deleted and replaced with – directly bonded to an outer surface of the inner tubular member by a heat bond—has been added. In line 20, after "member" --, wherein the longitudinal dimension of at least one of the at least two secured portions is about 1 to about 4mm—has been added.

Claim 2 has been cancelled.

In <u>claim 3</u>, line 1, "claim 2" has been deleted and replaced with – claim 1--.

In <u>claim 13</u>, line 2, after "first" the word –polymeric—has been added. In line 3, after "second" the word –polymeric—has been added.

In <u>claim 24</u>, line 22 after "member" --, wherein the longitudinal dimension of at least one of the at least two secured portions is about 1 to about 4mm—has been added.

Art Unit: 3738

In <u>claim 26</u>, line 27 after "member" --, wherein the longitudinal dimension of at least one of the at least two secured portions is about 1 to about 4mm—has been added.

Allowable Subject Matter

Claims 1,3-8,10-16,23-27 are allowed.

This application is in condition for allowance except for the presence of claims 17-22 to an invention non-elected without traverse. Accordingly, claims 17-22 have been cancelled.

The following is an examiner's statement of reasons for allowance: the balloon catheter comprising an elongated shaft with an inflation lumen extending therein, an inflatable balloon on the shaft distal section and an outer tubular member and an inner tubular member disposed within at least a portion of the outer tubular member with at least two secured portions of the inner surface of the outer tubular member being directly bonded to the outer surface of the inner tubular member, wherein the longitudinal dimension of the secured portions is about 1 to about 4mm was found to be novel. The prior art did disclose balloon catheters having at least two secured portions between an inner and outer tubular member forming inflation lumens, however the prior art failed to teach shorter directly bonded sections that are about 1 to about 4mm.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 09/747,817

Art Unit: 3738

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian E Pellegrino whose telephone number is 571-272-4756. The examiner can normally be reached on Monday-Thursday from 8am to 5:30pm. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached at 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TC 3700, AU 3738 Primary Examiner

Brian E. Pellegrino

Brian & Pellegrino